

Parasol Dance

Featuring Sadie's Dance Card by Tanya Whelan

Traditional pinwheel blocks look as soft as a spring breeze in this blue and white floral quilt – perfect as a decorative accent for a porch swing or rocking chair.

Collection: Sadie's Dance Card by Tanya Whelan

Technique: Piecing

Skill Level: Intermediate

Crafting Time: Longer term*

Finished Project Size:

42 $\frac{1}{4}$ " x 52 $\frac{1}{2}$ " (107.32cm x 133.35cm)

Finished Size:

Finished Block Size:

9" x 9" (22.86 cm x 22.86 cm)

*Crafting time based on intermediate skill level

Project designed by Lucy A. Fazely

Fabric Requirements

DESIGN	COLOR	ARTICLE CODE	YARDAGE
(A) Rose Bouquet	Blue	PWTW122.BLUEX	3/8 yard (34.29cm)
(B) Big Rose	Blue	PWTW123.BLUEX	3/8 yard (34.29cm)
(C) Dottie Rose	Blue	PWTW124.BLUEX	3/8 yard (34.29cm)
(D) Wild Flower	Blue	PWTW125.BLUEX	3/8 yard (34.29cm)
(E) Tonal	Blue	PWTW126.BLUEX	1 yard (.91m)
(F) Big Dot	Blue	PWTW128.BLUEX	5/8 yard (57.15cm)*
(G) Designer Essentials Solid	Arctic White	CSFSESS.ARWHT	3/4 yard (68.58cm)
(H) Designer Essentials Solid	Blue	CSFSESS.BLUEX	1/4 yard (22.86cm)

* includes binding

Backing (Purchased Separately)

Big Rose			
44" (111.75cm)	Blue	PWTW123.BLUEX	2 7/8 yards (2.63m)
OR			
108" (274.32cm)			1 1/2 yards (1.37m)

Additional Requirements


Coats Dual Duty XP® All-purpose Thread

Sewing machine

50" x 60" (127.00 cm x 152.40cm) batting

Rotary cutter/mat/ruler

Basic sewing and pressing supplies



Cutting

WOF =Width of Fabric

Fabric A, B, C, and D, cut from each:

(2) $5\frac{3}{8}$ " x WOF (13.65cm x WOF);

sub-cut (10) $5\frac{3}{8}$ " x $5\frac{3}{8}$ " (13.65cm x 13.65cm), for blocks

Fabric E, cut:

(6) $5\frac{3}{8}$ " x WOF (13.65cm x WOF);

sub-cut (40) $5\frac{3}{8}$ " x $5\frac{3}{8}$ " (13.65cm x 13.65cm), for blocks

Fabric F, cut:

(6) $2\frac{1}{2}$ " x WOF (6.35cm x WOF), for binding

(2) $1\frac{3}{4}$ " x WOF (4.45cm x WOF);

sub-cut (30) $1\frac{3}{4}$ " x $1\frac{3}{4}$ " (4.45cm x 4.45cm), for sashing rows

Fabric G, cut:

(13) $1\frac{3}{4}$ " x WOF (4.45cm x WOF);

sub-cut (49) $1\frac{3}{4}$ " x $9\frac{1}{2}$ " (4.45cm x 24.13cm), for block rows and sashing rows

Fabric H, cut:

(3) $1\frac{1}{4}$ " x WOF (3.18cm x WOF);

sub-cut (80) $1\frac{1}{4}$ " x $1\frac{1}{4}$ " (3.18cm x 3.18cm), for block centers


Sewing

Note: Use a $\frac{1}{4}$ " (.64cm) seam allowance throughout.


Sew all pieces with rights sides together and raw edges aligned.

Block Assembly


1. Cut all the **Fabrics A-E** $5\frac{3}{8}$ " (13.65cm) squares in half once diagonally (**Fig. 1**).





2. Sew a **Fabric E** $5\frac{3}{8}$ " (13.65cm) triangle to each of the Fabrics A, B, C, and D triangles along the diagonal edge (**Fig. 2**) and square up to measure 5" x 5" (12.70cm x 12.70cm). Make (20) each of the following fabric combinations: A/E, B/E, C/E, and D/E, for a total of (80) half-square triangle (HST) units.




3. Draw a diagonal line on the wrong side of (80) **Fabric H** $1\frac{1}{4}$ " (3.18cm) squares (**Fig. 3**).



4. With right sides together, place (1) marked **Fabric H** square on a seamed corner of (1) HST unit, aligning corner raw edges, and noting orientation of the drawn line. Stitch on the drawn line. Press the triangle over the stitched line to form the unit corner. Trim the seam allowance under the triangle to form the unit corner. Trim the seam allowance under the triangle to $\frac{1}{4}$ " (.64cm) (**Fig. 4**). The unit should measure 5" x 5" (12.70cm x 12.70cm). Make (20) each of the following fabric combinations: A/E, B/E, C/E, and D/E (**Fig. 5**).



5. Arrange (4) A/E units with **Fabric H** corners in two rows as shown in (Fig. 6). Stitch the units together in each row, then sew the rows together, matching adjacent seams, to make (1) 9½" (24.13cm) square A/E block. Make a total of (5) A/E blocks.



6. Repeat Step 5 with (4) B/E units to make (1) B/E block. Make a total of (5) B/E Blocks.
7. Repeat Step 5 with (4) C/E units to make (1) C/E block. Make a total of (5) C/E Blocks.
8. Repeat Step 5 with (4) D/E units to make (1) D/E block. Make a total of (5) D/E Blocks.

Quilt Top Assembly

Notes: Refer to the Quilt Layout for the following steps. Backstitch at the beginning and end of each row seam. Number the rows for easier assembly.

9. Block Row 1. Sew (9) pieces together in the following order: (1) 1¾" x 9½" (4.45cm x 24.13cm) **Fabric G** sashing strip, (1) A/E Block, (1) **Fabric G** sashing strip, (1) D/E Block, (1) **Fabric G** sashing strip, (1) B/E Block, (1) **Fabric G** sashing strip, (1) C/E Block, (1) **Fabric G** sashing strip. Row 1 should measure 9½" x 42¾" (24.13cm x 108.59cm).
10. Block Row 2. Sew (9) pieces together in the following order: (1) 1¾" x 9½" (4.45cm x 24.13cm) **Fabric G** sashing strip, (1) C/E Block, (1) **Fabric G** sashing

strip, (1) A/E Block, (1) **Fabric G** sashing strip, (1) D/E Block, (1) **Fabric G** sashing strip, (1) B/E Block, (1) **Fabric G** sashing strip. Row 2 should measure 9½" x 42¾" (24.13cm x 108.59cm).

11. Block Row 3. Sew (9) pieces together in the following order: (1) 1¾" x 9½" (4.45cm x 24.13cm) **Fabric G** sashing strip, (1) B/E Block, (1) **Fabric G** sashing strip, (1) C/E Block, (1) **Fabric G** sashing strip, (1) A/E Block, (1) **Fabric G** sashing strip, (1) D/E Block, (1) **Fabric G** sashing strip. Row 3 should measure 9½" x 42¾" (24.13cm x 108.59cm).
12. Block Row 4. Sew (9) pieces together in the following order: (1) 1¾" x 9½" (4.45cm x 24.13cm) **Fabric G** sashing strip, (1) D/E Block, (1) **Fabric G** sashing strip, (1) B/E Block, (1) **Fabric G** sashing strip, (1) C/E Block, (1) **Fabric G** sashing strip, (1) A/E Block, (1) **Fabric G** sashing strip. Row 3 should measure 9½" x 42¾" (24.13cm x 108.59cm).
13. Block Row 5. Sew (9) pieces together in the following order: (1) 1¾" x 9½" (4.45cm x 24.13cm) **Fabric G** sashing strip, (1) A/E Block, (1) **Fabric G** sashing strip, (1) D/E Block, (1) **Fabric G** sashing strip, (1) B/E Block, (1) **Fabric G** sashing strip, (1) C/E Block, (1) **Fabric G** sashing strip. Row 5 should measure 9½" x 42¾" (24.13cm x 108.59cm).
14. Sashing Rows. Beginning and ending with a 1¾" (4.45cm) **Fabric F** square, sew (5) squares together alternately with (4) 1¾" x 9½" (4.45cm x 24.13cm) **Fabric G** sashing strips. The sashing row should measure 1¾" x 42¾" (4.45cm x 108.59cm). Make a total of (6) sashing rows.

15. Beginning and ending with a sashing row, sew the sashing rows and block rows together in numerical order to assemble the 42¾" x 53" (108.59cm x 134.62cm) quilt top.

Finishing

16. Cut and piece the backing fabric to measure 50" x 60" (127.00 cm x 152.40cm).
17. Layer the backing wrong side up, batting, and quilt top right side up. Quilt or tie as desired.
18. Carefully trim backing and batting even with quilt top.
19. Prepare binding from (6) 2½" x WOF (6.35cm x WOF) **Fabric F** strips. Sew the strips together end to end using diagonal seams to make one long binding strip. Press strip in half lengthwise with wrong sides together.
20. Leaving an 8" (20.32cm) tail of binding, sew binding to top of the quilt through all layers, aligning all raw edges. Miter corners. Stop sewing approximately 12" (30.48cm) from beginning. Lay both loose ends of binding flat along quilt edge. Where the two loose ends meet, fold ends back on themselves and press to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together. Trim seam to ¼" (.64cm) and press open. Finish sewing binding to the quilt.
21. Turn binding to the back of the quilt and hand-stitch in place.

